

## MT-1006 Fiber Optic Rack Mount ODF Series



**Item NO. : MT-1006**

**Name:** 1U fiber optic patch panel. (19" rack mounting type)

**Adaptor:** SC/FC/LC/ST/LC DUPLEX/SC DUPLES

**Size:** Height 1U, Depth: 357mm,

**Material:** 1.2mm Thickness Cold Rolled Steel

**Color:** Black or Gray.

**Type:** Drawer type


**Accessory:** 2pcs of splicing tray (MT-1023) and 2pcs of Bobbin winder.

**Package:** box /set, 5set/ Carton

**CTN DIM:** 51x39x30 cm

**G.W/N.W:** 25KG/23.5KG

**Certification:** ISO9001




**Description:**


The removable front panel chassis is a 19 inch 1U sliding panel in two parts: one sliding chassis and one front panel, which receives the optical adaptors. The flexibility of its two piece construction allows you to maintain a stock of the chassis and then attach a suitable front panel as required.

**Specifications:**

Material	Cold rolled steel for the box, ABS for the tray
Operating Temperature	-40°C~+60°C
Relative Humidity	<95%(+40°C)
Insulated resistance	≥2x10MΩ/500V(DC)
Dimension	for 19" cabinet
Intensity:	≤15KV(DC)/1minno spark-over and no flying arc
High quality finish	,without sharp edges.

**Capacity**








Full loaded can be chosn:



**48 Core LC**



**24 Core LC**



**24 Core SC**



**12 Core SC**



**24 Core FC**



**12 Core ST**