

# MT-8303 Crimping Tool For F Connector



## Quick Details:

1. Grade: Industrial
2. Place of Origin: Zhejiang, China
3. Brand Name: Melontel
4. Model Number: MT-8303
5. Application: Crimping, Wire Stripper
6. Product Name: Crimping tool
7. Use Range: F BNC RCA connector
8. Material: Stainless Steel
9. Weight: 300g
10. Color: Blue
11. Packing: Blister Card

## Description:

MT-8303 is the perfect item for customizing coax cables to the perfect length without spending hours online finding the cable of right size. Featuring three different adapters for different types of connectors and a built-in cable cutter this product has everything

you need to get the job done. Compatible with almost all connectors this device makes creating F, BNC, and RCA cables to the desired length a breeze.

This compression crimping tools for crimping f/bnc/rca rg-58/59/62/6(3c/4c/5c) type compression. with interchangeable "f"(bnc,rca).

1. Use high precision hardness material, light and easy to carry, durable, long service life
2. Special soft rubber material handle, prevent slippery, comfortable, strong, accord with human body design
3. With waterproof function
4. Built-in mechanical energy saving gear inside handle

compressed distance for connector	compressed distance for bnc connector	compressed distance for rca connector
15.8~25.8mm	28.2~38.2mm	28.2~38.2mm

**Specification:**

Item:	Specifications:
Function:	Crimp F/BNC/RCA connectors
Cable Type:	RG58/59/62/6 ( 3C/4C/5C )
Compressed distance:	F: 15.8~25.8mm
	BNC: 28.2~38.2mm
	RCA: 28.2~38.2mm
Ratchet:	No
Length:	235mm

## Feature:

1. For crimping F/BNC/RCA RG58/59/62/6 (3C/4C/5C) type compression.
2. With adjustment for crimping different length of connectors.
3. With interchangeable F BNC RCA type head.
4. Rest two compression head equipped into handles.
5. For F connector: 15.8-25.8 mm (compressed distance)  
For BNC connector: 28.2-38.2 mm (compressed distance)  
For RCA connector: 28.2-38.2mm (compressed distance)
6. Packed with blister card.

## Size and Structure:





**Details:**

